




PEORIA, ARIZONA

---

## APPLYING GRAPHICS AND VELCRO



## TOOLS REQUIRED



1. Spray Bottle – With mixture of water and a few drops of dish soap
2. Squeegees – Usually provided with the graphics inside cardboard tube
3. Microfiber towels – Lint free
4. Utility Knife / Razor Blade
5. Scissors – To Cut Velcro
6. Velcro (Loop) – Provide by The Mini Jumbotron Company
7. Hard, clean surface that is safe for razor blades such as granite countertop

# HOW TO INSTALL GRAPHICS

*Please read before continuing:*

- *Graphic Clings and Decals both install in the same manner*
- *Make sure your plexi-glass is clean and free of any lint, etc.*
- *Save the protective backing of graphics to store Cling Graphics for reuse*
- *Install graphics and allow them to dry overnight before installing Velcro*
- *Check graphics periodically to ensure no air bubbles have formed*
- *Additional Velcro, if needed, can be purchased [here](#)*
- *For Decals only, optional black trim shown at end of video can be purchased [here](#)*



CONTINUE TO NEXT PAGE FOR VELCRO INSTALLATION STEPS

# APPLYING VELCRO

After allowing the plexi-glass and graphics to dry overnight...



Place your plexi-glass tops with graphics affixed onto a clean smooth surface



Gently flip it over the tops



Apply Velcro strips to the top and bottom edges. Remove any air bubbles behind Velcro by . Make sure the Velcro is affixed smoothly and firmly.



Apply Velcro strips to the side edges

# APPLYING VELCRO TO CORNERS

After allowing the graphics to dry overnight, 1) Place your plexi-glass corners with graphics affixed onto a clean smooth surface 2) Gently flip it over the corners 3) Affix Velcro as pictured below:

## MINITRON & SCORETRON



## MICROTRON & MACROTRON



2 Strips

## MEGATRON





PEORIA, ARIZONA

If you have any questions, please contact us.

[www.Minijumbotron.com](http://www.Minijumbotron.com)